

Work Order ID 135742

Tuesday, August 18, 2015 4:03:38 PM

135742

Page 1

Item ID: D350-561-241

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Single Mirror Installation LH

Start Date: 8/18/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 8/19/2015 Req'd Qty: 1.00

1

Customer: CHAWK02

Reference: RMA RA112087

Approvals:

Process Plan: UNC

Date: 15-8-18

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

DSI 9564

A

100

0.00

100

QC

Quality Control

Memo

0.00

INSPECT RA112087
D350-561-241 X 1 B118369

RE-INSPECT RA112087
ENSURE KIT IS COMPLETE

ID AND STOCK UNDER NEW BATCH NUMBER

ADD NEW PAPERWORK

110

Identify as per dwg & Stock Location: 011

0.00

110

Packaging

Memo

0.00

Packaging

AUG 19 2015

DAS
6
2-89

DART			
TEL: 416-292-2200 www.dartfasteners.com			
PART	N/A		
P/N	D350-561-241		
DESC.	Single Cargo Mirror, LH		
LOT	B118369		
MODEL	AS350/355		
QFC	CHG001		
SIC	SH91-20		
SIC	SH856NE		
TC APPROVAL #0589			
MADE IN CANADA			
02729-4			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, August 18, 2015 4:03:38 PM

Work Order ID: 135742

135742

Parent Item: D350-561-241

D350-561-241

Parent Item Name: Single Mirror Installation LH

Start Date: 8/18/2015

Required Date: 8/19/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP revA 11.07.12 new issue EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D350-561-241		Manufactured	No				Each	1.0000		1			

D350-561-241

Single Mirror Installation LH

Location

Loc Qty

Loc Code

FG011

1

105779

1

118369 MF 15-8-18

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : _____							

RA112087 D350-561-241

B118369

Received @ Dart July 22nd, 2015
Inspected @ Dart July 31st, 2015

CUSTOMER: HAWKER PACIFIC
CUSTOMER CONTACT: AMY GWAN
SHIPPED FROM: BANKSTOWN AUSTRALIA

Instructions for RA 112087 D350-561-241 B118369 CHG001

- Return to stock with new work order
- Add step to work order to verify to ensure that all parts are in the kit
- Needs new labels & paper works (blue flies)
- Attach all internal papers to from RA to work orders

135742

Time Estimate: 2 hours

Departments Required: QC & Stores \ Shipping

Pictures Attached: N/A

QTY INSPECTED: x1 D350-561-241 B118369 CHG001

**THIS INSTRUCTION SHEET
MUST BE ATTACHED TO THE
RESTOCKING WORK ORDER
AT ALL TIMES!!!!**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

5. PARTS LIST

Qty -041	Qty -043	Qty -045	Qty -141	Qty -143	Qty -241	Qty -243	Part Number	Description
X	1						D350-561-041	SINGLE MIRROR INSTALLATION, RH
	X						D350-561-043	DUAL MIRROR INSTALLATION, RH
	1	X		1		1	D350-561-045	MIRROR KIT
			X	1			D350-561-141	SINGLE MIRROR INSTALLATION, RH
				X			D350-561-143	DUAL MIRROR INSTALLATION, RH
					X	1	D350-561-241	SINGLE MIRROR INSTALLATION, LH
						X	D350-561-243	DUAL MIRROR INSTALLATION, LH
1		1	1		1		D2011-101	Mirror
1							D2012-101	Arm
1							D2012-103	Arm
1			1				D2012-105	Arm
					1		D2012-106	Arm
2			1		1		D2012-107	Clevis
1							D2012-109	Bracket
1			1		1		D2012-111	Bracket
4		2					D2012-113	Clamp
1			1		1		D2012-115	Bracket
4			2		2		D2022-101	Spacer
4							D2856-100-325	Abrasion Strip
1*		1*	1*		1*		D3014-1	Locknut
			1		1		D3629-1	Bracket
			1		1		D3635-1	Gasket
		2					D3635-3	Gasket
			1				D3646-1	Arm
					1		D3646-2	Arm
			1				D3646-3	Arm
					1		D3646-4	Arm
			2		2		D4070-041	Clamp
2							AN3-4A	Bolt
2		2	6		6		AN3-5A	Bolt
1			1		1		AN3-6A	Bolt
2			1		1		AN4-10A	Bolt
3			3		3		AN4-5A	Bolt
14		4	8		8		AN960JD10	Washer
9		2	8		8		AN960JD416	Washer
1*		1*	1*		1*		AN960JD416L	Washer
5		2	4		4		MS21042L3	Nut (or MS21042-3)
5			4		4		MS21042L4	Nut (or MS21042-4)

*INCLUDED AS PART OF D2011-101 MIRROR